

| Werkstoff | Bleche | Geschweißte<br>Rohre | Nahtlose Rohre | Hohlstahl | Stabstahl | Blankstahl |
|-----------|--------|----------------------|----------------|-----------|-----------|------------|
| 4016      | 1.02   |                      |                |           |           |            |
| 4021      |        |                      |                |           | 0.95      | 1.06       |
| 4028      |        |                      |                |           | 0.95      |            |
| 4034      |        |                      |                |           | 0.96      | 1.08       |
| 4057      |        |                      |                |           | 1.34      | 1.50       |
| 4104      |        |                      |                |           | 1.25      | 1.40       |
| 4112      |        |                      |                |           | 1.66      | 1.86       |
| 4122      |        |                      |                |           | 1.70      | 1.91       |
| 4301/4307 | 2.12   | 2.44                 | 3.77           | 3.40      | 2.48      | 2.79       |
| 4305      |        |                      |                |           | 2.50      | 2.80       |
| 4313      |        |                      |                |           | 1.82      |            |
| 4404      | 3.58   | 4.12                 | 5.75           | 5.17      | 4.08      | 4.58       |
| 4410      |        |                      |                |           | 4.30      |            |
| 4418      |        |                      |                |           | 2.40      | 2.69       |
| 4432      | 4.00   | 4.60                 |                |           |           |            |
| 4435      |        |                      | 6.51           | 5.86      | 4.64      | 5.21       |
| 4462      | 3.40   | 3.91                 | 5.04           | 4.58      | 3.60      | 4.05       |
| 4501      |        |                      |                |           | 4.36      |            |
| 4509      | 1.29   |                      |                |           |           |            |
| 4529      |        |                      |                |           | 8.45      |            |
| 4539      | 6.45   | 7.41                 |                |           | 7.45      | 8.38       |
| 4541      | 2.31   | 2.65                 | 3.77           | 3.40      | 2.70      | 3.03       |
| 4542      |        |                      |                |           | 2.10      |            |
| 4571      | 3.63   | 4.17                 | 5.75           | 5.17      | 4.09      | 4.60       |
| 4828      |        |                      | 4.10           |           | 3.00      | 3.37       |
| 4841      |        |                      |                |           | 4.44      | 4.99       |

|             |     |
|-------------|-----|
| Rohrzubehör | 67% |
| Mo-Güten    | 91% |

Alle Angaben in €/kg

Damstahl GmbH, Raiffeisenstraße 6-8, DE-40764 Langenfeld

Tel.: +49 2173 8983 200, Email: dsde@damstahl.com

[www.damstahl.com](http://www.damstahl.com)

| Stabstahl |        |        |        |        |        |        |        |        |        |        |        |        |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Werkstoff | Dec-23 | Jan-24 | Feb-24 | Mar-24 | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 |
| 4021      | 0.89   | 0.91   | 0.86   | 0.87   | 0.86   | 0.88   | 0.90   | 0.93   | 0.95   |        |        |        |
| 4028      | 0.89   | 0.91   | 0.86   | 0.87   | 0.86   | 0.88   | 0.90   | 0.93   | 0.95   |        |        |        |
| 4034      | 0.90   | 0.92   | 0.87   | 0.88   | 0.87   | 0.89   | 0.91   | 0.94   | 0.96   |        |        |        |
| 4057      | 1.30   | 1.28   | 1.22   | 1.23   | 1.25   | 1.28   | 1.34   | 1.36   | 1.34   |        |        |        |
| 4104      | 1.16   | 1.16   | 1.13   | 1.13   | 1.12   | 1.15   | 1.19   | 1.23   | 1.25   |        |        |        |
| 4112      | 1.52   | 1.47   | 1.49   | 1.48   | 1.48   | 1.51   | 1.57   | 1.64   | 1.66   |        |        |        |
| 4122      | 1.57   | 1.52   | 1.52   | 1.52   | 1.53   | 1.56   | 1.63   | 1.70   | 1.70   |        |        |        |
| 4301/4307 | 2.53   | 2.38   | 2.30   | 2.31   | 2.44   | 2.48   | 2.67   | 2.65   | 2.48   |        |        |        |
| 4305      | 2.53   | 2.38   | 2.30   | 2.32   | 2.44   | 2.49   | 2.68   | 2.66   | 2.50   |        |        |        |
| 4313      | 1.77   | 1.69   | 1.66   | 1.67   | 1.72   | 1.75   | 1.86   | 1.89   | 1.82   |        |        |        |
| 4404      | 3.97   | 3.67   | 3.71   | 3.71   | 3.90   | 3.94   | 4.24   | 4.30   | 4.08   |        |        |        |
| 4410      | 4.03   | 3.73   | 3.86   | 3.84   | 3.98   | 4.02   | 4.30   | 4.44   | 4.30   |        |        |        |
| 4418      | 2.30   | 2.17   | 2.17   | 2.18   | 2.25   | 2.28   | 2.43   | 2.48   | 2.40   |        |        |        |
| 4435      | 4.51   | 4.15   | 4.20   | 4.21   | 4.44   | 4.47   | 4.84   | 4.90   | 4.64   |        |        |        |
| 4462      | 3.37   | 3.14   | 3.23   | 3.22   | 3.33   | 3.36   | 3.58   | 3.70   | 3.60   |        |        |        |
| 4501      | 4.04   | 3.75   | 3.87   | 3.87   | 4.01   | 4.06   | 4.37   | 4.51   | 4.36   |        |        |        |
| 4529      | 8.14   | 7.40   | 7.62   | 4.22   | 8.06   | 8.11   | 8.80   | 8.96   | 8.45   |        |        |        |
| 4539      | 7.29   | 6.65   | 6.78   | 6.76   | 7.19   | 7.25   | 7.89   | 7.96   | 7.45   |        |        |        |
| 4541      | 2.75   | 2.58   | 2.49   | 2.51   | 2.66   | 2.70   | 2.92   | 2.89   | 2.70   |        |        |        |
| 4542      | 2.04   | 1.98   | 1.91   | 1.92   | 1.99   | 2.05   | 2.19   | 2.19   | 2.10   |        |        |        |
| 4571      | 3.98   | 3.67   | 3.71   | 3.72   | 3.91   | 3.95   | 4.27   | 4.32   | 4.09   |        |        |        |
| 4828      | 3.07   | 2.88   | 2.77   | 2.80   | 2.96   | 3.01   | 3.26   | 3.22   | 3.00   |        |        |        |
| 4841      |        | 4.26   | 4.12   | 4.15   | 4.45   | 4.51   | 4.92   | 4.83   | 4.44   |        |        |        |

| Blankstahl |        |        |        |        |        |        |        |        |        |        |        |        |
|------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Werkstoff  | Dec-23 | Jan-24 | Feb-24 | Mar-24 | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 |
| 4021       | 1.00   | 1.01   | 0.96   | 0.97   | 0.96   | 0.98   | 1.01   | 1.04   | 1.06   |        |        |        |
| 4034       | 1.01   | 1.03   | 0.98   | 0.99   | 0.97   | 1.00   | 1.02   | 1.05   | 1.08   |        |        |        |
| 4057       | 1.46   | 1.44   | 1.37   | 1.38   | 1.40   | 1.44   | 1.50   | 1.52   | 1.50   |        |        |        |
| 4104       | 1.30   | 1.30   | 1.27   | 1.27   | 1.26   | 1.29   | 1.33   | 1.38   | 1.40   |        |        |        |
| 4112       | 1.70   | 1.65   | 1.67   | 1.66   | 1.66   | 1.69   | 1.76   | 1.84   | 1.86   |        |        |        |
| 4122       | 1.76   | 1.70   | 1.71   | 1.71   | 1.72   | 1.75   | 1.83   | 1.90   | 1.91   |        |        |        |
| 4301/4307  | 2.84   | 2.67   | 2.57   | 2.59   | 2.73   | 2.78   | 3.00   | 2.97   | 2.79   |        |        |        |
| 4305       | 2.84   | 2.68   | 2.58   | 2.60   | 2.74   | 2.79   | 3.01   | 2.99   | 2.80   |        |        |        |
| 4404       | 4.46   | 4.13   | 4.17   | 4.17   | 4.38   | 4.42   | 4.77   | 4.83   | 4.58   |        |        |        |
| 4418       | 2.59   | 2.44   | 2.44   | 2.44   | 2.53   | 2.56   | 2.73   | 2.79   | 2.69   |        |        |        |
| 4435       | 5.07   | 4.66   | 4.72   | 4.73   | 4.99   | 5.03   | 5.44   | 5.51   | 5.21   |        |        |        |
| 4462       | 3.79   | 3.52   | 3.63   | 3.62   | 3.74   | 3.78   | 4.03   | 4.16   | 4.05   |        |        |        |
| 4539       | 8.19   | 7.47   | 7.59   | 7.60   | 8.08   | 8.15   | 8.87   | 8.95   | 8.38   |        |        |        |
| 4541       | 3.09   | 2.90   | 2.79   | 2.82   | 2.98   | 3.03   | 3.28   | 3.24   | 3.03   |        |        |        |
| 4571       | 4.47   | 4.13   | 4.17   | 4.17   | 4.40   | 4.44   | 4.79   | 4.85   | 4.60   |        |        |        |
| 4828       | 3.45   | 3.23   | 3.11   | 3.14   | 3.33   | 3.38   | 3.66   | 3.61   | 3.37   |        |        |        |
| 4841       |        | 4.79   | 4.63   | 4.67   | 5.00   | 5.07   | 5.53   | 5.43   | 4.99   |        |        |        |

| Hohlstahl |        |        |        |        |        |        |        |        |        |        |        |        |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Werkstoff | Dec-23 | Jan-24 | Feb-24 | Mar-24 | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 |
| 4301/4307 | 3.58   | 3.38   | 3.31   | 3.34   | 3.38   | 3.47   | 3.44   | 3.45   | 3.40   |        |        |        |
| 4404      | 5.32   | 4.89   | 4.72   | 4.84   | 4.93   | 5.01   | 5.02   | 5.24   | 5.17   |        |        |        |
| 4435      | 6.00   | 5.49   | 5.29   | 5.41   | 5.51   | 5.60   | 5.64   | 6.01   | 5.86   |        |        |        |
| 4462      | 4.52   | 4.02   | 3.96   | 4.02   | 4.10   | 4.15   | 4.30   | 4.58   | 4.58   |        |        |        |
| 4541      | 3.58   | 3.38   | 3.31   | 3.34   | 3.38   | 3.47   | 3.44   | 3.45   | 3.40   |        |        |        |
| 4571      | 5.32   | 4.89   | 4.72   | 4.84   | 4.93   | 5.01   | 5.02   | 5.24   | 5.17   |        |        |        |

| Geschweißte Rohre |        |        |        |        |        |        |        |        |        |        |        |        |
|-------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Werkstoff         | Dec-23 | Jan-24 | Feb-24 | Mar-24 | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 |
| 4301/4307         | 2.36   | 2.29   | 2.24   | 2.32   | 2.44   | 2.49   | 2.66   | 2.64   | 2.44   |        |        |        |
| 4404              | 3.88   | 3.64   | 3.73   | 3.80   | 3.99   | 4.03   | 4.32   | 4.39   | 4.12   |        |        |        |
| 4432              | 4.31   | 4.02   | 4.15   | 4.22   | 4.42   | 4.57   | 4.78   | 4.88   | 4.60   |        |        |        |
| 4462              | 3.63   | 3.38   | 3.55   | 3.58   | 3.68   | 3.72   | 3.93   | 4.04   | 3.91   |        |        |        |
| 4539              | 6.94   | 6.43   | 6.64   | 6.76   | 7.18   | 7.23   | 7.83   | 7.98   | 7.41   |        |        |        |
| 4541              | 2.56   | 2.47   | 2.43   | 2.52   | 2.66   | 2.71   | 2.91   | 2.88   | 2.65   |        |        |        |
| 4571              | 3.93   | 3.68   | 3.77   | 3.85   | 4.04   | 4.08   | 4.38   | 4.45   | 4.17   |        |        |        |

## Nahtlose Rohre

| Werkstoff | Dec-23 | Jan-24 | Feb-24 | Mar-24 | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 4301/4307 | 3.98   | 3.76   | 3.68   | 3.71   | 3.75   | 3.85   | 3.83   | 3.83   | 3.77   |        |        |        |
| 4404      | 5.91   | 5.43   | 5.25   | 5.37   | 5.47   | 5.57   | 5.57   | 5.68   | 5.75   |        |        |        |
| 4435      | 6.67   | 6.10   | 5.87   | 6.01   | 6.12   | 6.23   | 6.26   | 6.42   | 6.51   |        |        |        |
| 4462      | 4.98   | 4.43   | 4.37   | 4.43   | 4.52   | 4.58   | 4.74   | 5.04   | 5.04   |        |        |        |
| 4541      | 3.98   | 3.76   | 3.68   | 3.71   | 3.75   | 3.85   | 3.83   | 3.83   | 3.77   |        |        |        |
| 4571      | 5.91   | 5.43   | 5.25   | 5.37   | 5.47   | 5.57   | 5.57   | 5.68   | 5.75   |        |        |        |
| 4828      | 4.33   | 3.95   | 3.79   | 3.69   | 3.80   | 3.98   | 4.22   | 4.48   | 4.10   |        |        |        |

## Bleche

| Werkstoff | Dec-23 | Jan-24 | Feb-24 | Mar-24 | Apr-24 | May-24 | Jun-24 | Jul-24 | Aug-24 | Sep-24 | Oct-24 | Nov-24 |
|-----------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 4016      | 0.99   | 1.00   | 0.98   | 0.99   | 0.97   | 1.01   | 1.02   | 1.02   | 1.02   |        |        |        |
| 4301/4307 | 2.06   | 1.99   | 1.95   | 2.02   | 2.12   | 2.16   | 2.31   | 2.29   | 2.12   |        |        |        |
| 4404      | 3.38   | 3.17   | 3.24   | 3.30   | 3.47   | 3.50   | 3.75   | 3.82   | 3.58   |        |        |        |
| 4432      | 3.75   | 3.49   | 3.61   | 3.67   | 3.85   | 3.88   | 4.16   | 4.24   | 4.00   |        |        |        |
| 4462      | 3.16   | 2.95   | 3.09   | 3.11   | 3.20   | 3.23   | 3.41   | 3.52   | 3.40   |        |        |        |
| 4509      | 1.24   | 1.25   | 1.24   | 1.27   | 1.25   | 1.28   | 1.30   | 1.29   | 1.29   |        |        |        |
| 4539      | 6.04   | 5.60   | 5.77   | 5.88   | 6.25   | 6.29   | 6.81   | 6.94   | 6.45   |        |        |        |
| 4541      | 2.23   | 2.15   | 2.11   | 2.19   | 2.31   | 2.36   | 2.53   | 2.51   | 2.31   |        |        |        |
| 4571      | 3.42   | 3.20   | 3.28   | 3.35   | 3.51   | 3.55   | 3.81   | 3.87   | 3.63   |        |        |        |